



# Material Safety Data Sheet

## 1. Product and Company Identification

**Product Code** SCS-10025  
**Product Name** BRICKFORM® Satin Cure & Seal 1315™  
**Description** Water-Borne Curing and Sealing Compound  
**NPCA HMIS RATING** H1 F0 R0

**Manufacturer** .....BRICKFORM, A Division of Solomon Colors, Inc.  
**Address** ..... 11061 Jersey Blvd.  
**City, State, Zip** ....Rancho Cucamonga, CA 91730

**Emergency Phone** .....800-373-7542  
**Business Phone** .....909-484-3399  
**Business Fax** .....877-857-2615

**Last Updated** September 29, 2010

Brickform certifies that its products comply with all the provisions of the Toxic Substances Control Act (TSCA), unless otherwise stated by ingredient in Section II.

## 2. Composition / Information on Ingredients

This product contains no reportable carcinogens or suspected carcinogens.

This product contains no reportable hazardous ingredients. This Material Safety Data Sheet contains information on good industrial practice for safe handling of all industrial chemicals.

## 3. Physical Data

**Boiling Range:** High- -N/A F Low- 212.0 F  
**Vapor Pressure:** See Section II  
**Theoretical Weight per Gallon, Calculated:** 8.4 LB/GL  
**Theoretical Specific Gravity, Calculated:** 1.057  
**Theoretical VOC, Calculated:** 95 Grams x Liter  
--If applicable , see Section X for further VOC information--  
**Physical State:** LIQUID  
**Appearance:** WHITE, MILKY  
**Odor:** TRACE ESTER  
**Odor Threshold:** -N/A  
**pH:** -N/A  
**Freezing Point:** -N/A  
**Water Solubility:** COMPLETELY DISPERSIBLE  
**Coefficient of Water/Oil Distribution:** -N/A  
**Mechanical Impact Explosion:** NO KNOWN HAZARD  
**Static Electricity Explosion:** NO KNOWN HAZARD

# Material Safety Data Sheet

## 4. Fire and Explosion Hazard Data

**FLAMMABILITY CHARACTERISTICS:****Lowest Closed Cup Flashpoint:** -N/A degrees F**Lower Flammable Limit in Air:** Lower- -N/A % by volume**OSHA Flammability Classification:** N/A**DOT Flammability Classification:** N/A**DOT Shipping Name:** PLASTIC MATERIALS, LIQUID-NOT REGULATED FOR ANY MODE OF TRANSPORTATION**EXTINGUISHING MEDIA:** None required.**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None known.**SPECIAL FIRE FIGHTING PROCEDURES:** None known.**ADDITIONAL TRANSPORTATION INFORMATION: Freight Classification:****NMFC:** 149980/SUB 2 RESIN COMPOUNDS, LIQUID LTL CLASS 55

## 5. Health Hazard Data

**EFFECTS OF EXCESSIVE OVEREXPOSURE. PRIMARY ROUTES OF ENTRY ARE:****EYE CONTACT:** Direct contact with product may cause irritation.**SKIN CONTACT:** Prolonged or repeated contact with product may cause mild irritation.**INHALATION:** Prolonged overexposure to vapors or dust in poorly ventilated areas may cause nose and throat irritation.**INGESTION:** May cause mouth, throat, esophagus and stomach irritation, nausea, vomiting and diarrhea.**EMERGENCY AND FIRST AID PROCEDURES:** In case of eye contact, flush immediately with plenty of water for at least 15 minutes and get medical attention; for skin, wash thoroughly with soap and water while removing contaminated clothing and shoes. Wash contaminated clothing. Thoroughly clean contaminated shoes. If affected by inhalation of vapors or spray mist, remove to fresh air. If swallowed, get medical attention immediately.**CALIFORNIA PROPOSITION 65 INFORMATION:** This material contains no intentionally-added ingredients, covered by the California "Safe Drinking Water and Toxic Enforcement Act of 1986" (Proposition 65), unless specifically stated under OTHER HEALTH HAZARDS, by individual chemical.**OTHER HEALTH HAZARDS:**

## 6. Reactivity Data

**STABILITY:** Stable **HAZARDOUS POLYMERIZATION:** None under normal conditions.**CONDITIONS TO AVOID:** Protect from freezing. Do not store at or below 32 degrees F. Protect from elevated temperatures.**INCOMPATIBILITY (MATERIALS TO AVOID):** None reasonably foreseeable.**HAZARDOUS DECOMPOSITION PRODUCTS:** Incomplete combustion can produce carbon monoxide.

## 7. Spill or Leak Procedures

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Avoid breathing vapors. Ventilate area. Contain and remove with inert absorbent and non-sparking tools.**WASTE DISPOSAL METHOD:** Dispose of in accordance with local, state and federal regulations. Do not incinerate closed containers. Incinerate in approved facility.

## Material Safety Data Sheet

### 8. Special Protection Information

**RESPIRATORY PROTECTION:** Avoid breathing of spray mist. If sprayed, wear mechanical filter respirator to remove solid particles of overspray. Follow respirator manufacturer's directions for respirator use.

**VENTILATION:** Provide general clean air dilution or local exhaust ventilation in volume and pattern to prevent air contaminant concentration build-up. Refer to OSHA Standard 1910.94.

**PROTECTIVE GLOVES:** If there is potential for prolonged or repeated skin contact, wear plastic gloves for the duration of anticipated exposure.

**EYE PROTECTION:** Avoid contact with eyes. Use safety eyewear with splash guards or side shields.

**OTHER PROTECTIVE EQUIPMENT:** None normally required. If unable to avoid prolonged or repeated contact with skin, wear protective clothing.

### 9. Special Precautions

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:** Do not store above 100 deg. F. Keep containers closed when not in use and upright to prevent leakage.

**OTHER PRECAUTIONS:** Do not take internally. Wash hands after using and before eating.

### 10. Sara Title III Information

**SARA 313 INFORMATION:** This product contains NONE of the substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 11. Other Information

IMPORTANT! Read this MSDS before use or disposal of this product. Pass along the information to employees and any other persons who could be exposed to the product to be sure that they are aware of the information before use or other exposure.

This MSDS has been prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200). To the best of our knowledge, the information contained herein is accurate and the information is based on sources believed to be reliable. However, since data, safety standards, and government regulations are subject to change, BRICKFORM makes no warranty, either expressed or implied with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. The data on this sheet is related only to this specific material. It may not be valid for this material if used in combination with any other materials. It is the user's responsibility to determine suitability and completeness of this information with regards to a particular use. Additional information may be necessary or helpful for specific conditions and circumstances of use. Unknown hazards may exist and this material should be used with caution. BRICKFORM assumes no legal responsibility for use or reliance upon this data.

(This page intentionally left blank.)