

# SAFETY DATA SHEET

Issue Date 14-May-2015 Revision Date 21-Nov-2022 Version 3

GCS-10018 Gem Cure & Seal 100 VOC

#### 1. IDENTIFICATION

Product identifier

Product Name Gem Cure & Seal 100 VOC

Other means of identification

Product Code GCS-10018

Recommended use of the chemical and restrictions on use

**Recommended Use** Restricted to professional users.

Uses advised against Consumer use

Details of the supplier of the safety data sheet

Supplier AddressManufacturer AddressSolomon Colors, Inc.Solomon Colors, Inc.4050 Color Plant Road4050 Color Plant RoadSpringfield, ILSpringfield, IL

62702 62702

Company Phone Number 800-624-0261 (US & Canada); 217-522-3112 (Outside North America)

24 Hour Emergency Phone Number 800-373-7542

# 2. HAZARDS IDENTIFICATION

# Classification

#### **OSHA Regulatory Status**

This product is classified as hazardous according to the criteria contained in the Hazard Communication Standard 29 CFR 1910.1200 (known as HCS 2012) and the Hazardous Products Regulations SOR/2015-17 (known as WHMIS 2015).

Serious eye damage/eye irritation	Category 2	
Germ cell mutagenicity	Category 1B	
Carcinogenicity	Category 1B	
Specific target organ toxicity (single	Category 3	
exposure)		
Flammable liquids	Category 3	

#### Label elements

# **Emergency Overview**

### Danger

### Hazard statements

Causes serious eye irritation May cause genetic defects May cause cancer

May cause respiratory irritation Flammable liquid and vapor

GCS-10018 1 / 10 Gem Cure & Seal 100 VOC



Appearance Clear liquid Physical state Liquid Odor Characteristic

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

In case of fire: Use CO2, dry chemical, or foam to extinguish

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Other Information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Parachlorobenzotrifluoride	98-56-6	70-80	*
Aromatic solvent	64742-95-6	< 2	*
Xylene	1330-20-7	<1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

GCS-10018 2 / 10 Gem Cure & Seal 100 VOC

#### Description of first aid measures

General advice In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible).

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If breathing is irregular or stopped, administer artificial respiration.

Ingestion If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label.

#### Most important symptoms and effects, both acute and delayed

Symptoms Causes serious eye irritation. May cause genetic defects. May cause cancer. May cause

respiratory irritation.

#### Indication of any immediate medical attention and special treatment needed

#### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Dry chemical, Carbon Dioxide, Foam, Sand. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

No information available.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

**Explosion data** 

Sensitivity to Mechanical Impact None.

**Sensitivity to Static Discharge** May be ignited by friction, heat, sparks or flames.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes or clothing.

Wear protective gloves/protective clothing and eye/face protection. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protection recommended in Section 8. ELIMINATE all ignition sources (no smoking, flares,

sparks or flames in immediate area).

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

GCS-10018 3 / 10 Gem Cure & Seal 100 VOC

Methods for containment Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up

Use clean non-sparking tools to collect absorbed material. Ground and bond containers

when transferring material. Dike to collect large liquid spills.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protective equipment as required. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. Never pierce, drill, grind, cut, saw or weld any empty container.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). Keep container tightly closed in a dry and well-ventilated place. Do not store near combustible materials. Use spark-proof tools and explosion-proof

equipment.

Incompatible materials Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Parachlorobenzotrifluoride	TWA: 2.5 mg/m <sup>3</sup> F	TWA: 2.5 mg/m <sup>3</sup> F	IDLH: 250 mg/m <sup>3</sup> F
98-56-6		(vacated) TWA: 2.5 mg/m <sup>3</sup>	
Xylene	STEL: 150 ppm	TWA: 100 ppm	-
1330-20-7	TWA: 100 ppm	TWA: 435 mg/m <sup>3</sup>	
		(vacated) TWA: 100 ppm	
		(vacated) TWA: 435 mg/m <sup>3</sup>	
		(vacated) STEL: 150 ppm	
		(vacated) STEL: 655 mg/m <sup>3</sup>	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

ASTM D56

provided in accordance with current local regulations.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Handle in accordance with good

industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear liquid Odor Characteristic

Color Colorless Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

PH No information available

Melting point/freezing point

Boiling point / boiling range

Flash point

No information available
130.7 °C / 267.2 °F
44.5 °C / 112.1 °F

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Specific Gravity
Water solubility
Solubility in other solvents

No information available

GCS-10018 5 / 10 Gem Cure & Seal 100 VOC

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
No information available

#### **Other Information**

Softening point No information available Molecular weight No information available

**VOC Content (%)** < 100 g/L

Density No information available Bulk density No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

# **Conditions to avoid**

Heat, flames and sparks.

#### **Incompatible materials**

Strong oxidizing agents.

### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon monoxide. Carbon dioxide (CO2).

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information No data available

**Inhalation** Avoid breathing vapors or mists. May cause irritation of respiratory tract. May cause

drowsiness or dizziness.

Eye contact Avoid contact with eyes. Risk of serious damage to eyes.

**Skin Contact** Prolonged contact may cause redness and irritation.

**Ingestion** Do not ingest. If swallowed then seek immediate medical assistance.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Parachlorobenzotrifluoride 98-56-6	= 13 g/kg (Rat)	> 3300 mg/kg ( Rabbit )	= 33 mg/L (Rat) 4 h
Aromatic solvent 64742-95-6	= 8400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 3400 ppm (Rat) 4 h
Xylene 1330-20-7	= 3500 mg/kg (Rat)	> 4350 mg/kg (Rabbit)	= 29.08 mg/L (Rat) 4 h

#### Information on toxicological effects

Symptoms Causes serious eye irritation. May cause genetic defects. May cause cancer. May cause

respiratory irritation.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Not classified. (Based on mixture components.).

Serious eye damage/eye irritation Eye Irritation Cat 2. Causes serious eye irritation. (Classification based on mixture

components).

Sensitization Not Classified. This product does not contain known sensitizers at levels > or equal to

0.1%.

**Germ cell mutagenicity** Contains a known or suspected mutagen.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Parachlorobenzotrifluoride	-	Group 2B	-	X
98-56-6		-		
Xylene	-	Group 3	-	-
1330-20-7		•		

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive toxicity** Not classified. (Based on mixture components).

**STOT - single exposure** STOT SE 3 - Respiratory System. May cause irritation of respiratory tract.

**STOT - repeated exposure** Not classified. (Based on mixture components).

**Aspiration hazard** No information available.

# Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 5000 mg/kg

 ATEmix (dermal)
 3273.2 mg/kg

 ATEmix (inhalation-gas)
 > 20,000

 ATEmix (inhalation-dust/mist)
 > 5 mg/l

GCS-10018 7 / 10 Gem Cure & Seal 100 VOC

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

This product has not been fully evaluated on the product level.

# Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Parachlorobenzotrifluoride 98-56-6	3.7
Xylene 1330-20-7	3.15

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated packaging Do not reuse container.

Chemical Name	California Hazardous Waste Status
Xylene	Toxic
1330-20-7	Ignitable

# 14. TRANSPORT INFORMATION

# DOT

UN/ID no. UN1263
Proper shipping name Paint
Hazard Class 3
Packing Group III

# 15. REGULATORY INFORMATION

# **International Inventories**

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies

**ENCS** Does not comply

**IECSC** Complies

**KECL** Does not comply

PICCS Complies AICS Complies

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
1,2,4 Trimethylbenzene - 95-63-6	1.0	
Xylene - 1330-20-7	1.0	
Cumene - 98-82-8	1.0	
Benzene - 71-43-2	0.1	

#### SARA 311/312 Hazard Categories

See section 2 for more information

# **CWA (Clean Water Act)**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Xylene 1330-20-7	100 lb	-	-	Х

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Xylene	100 lb	-	RQ 100 lb final RQ
1330-20-7			RQ 45.4 kg final RQ

# **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Parachlorobenzotrifluoride - 98-56-6	Carcinogen	
Cumene - 98-82-8	Carcinogen	
Benzene - 71-43-2	Carcinogen	
Developmental		
	Male Reproductive	

#### U.S. State Right-to-Know Regulations

GCS-10018 9 / 10 Gem Cure & Seal 100 VOC

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Parachlorobenzotrifluoride 98-56-6	X	-	-
Trimethylbenzene, Isomers 25551-13-7	Χ	Х	X
1,2,4 Trimethylbenzene 95-63-6	X	X	X
Xylene 1330-20-7	X	X	X
Cumene 98-82-8	X	X	X
Methyl Isopropyl Benzene 25155-15-1	X	-	-
Benzene 71-43-2	X	X	X

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 3 Reactivity 0 Physical and Chemical

Properties HMIS Health hazards 2 Flammability 3 Physical hazards 0 Personal protection X

Prepared BySolomon ColorsIssue Date14-May-2015Revision Date21-Nov-2022

**Revision Note** 

The product hazard classification was updated and all relevant sections were revised to reflect this information.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**